

Windowparts

2023 Product Catalogue



windowparts.co.uk





NEW

FLEXILOCK

NO CUTTING REQUIRED.

Simply stretch & fix.

Split spindle lock case.

35mm or 45mm backset.

16mm face plate.



All keeps included:

Comes with latch, deadbolt and 2 hooks.

THE ULTIMATE REPAIR LOCK!

**Suitable for replacing 90% of uPVC
multipoint locks.**


Patent Pending

Page 32

DOOR HANDLES	Page 1
KEEPS	Page 4
SECURITY & SAFETY	Page 6
DRILL BITS	Page 11
FLEXI GASKET	Page 13
SCREWS	Page 14
ESCUTCHEONS	Page 17
WINDOW & DOOR HINGES	Page 20
WINDOW HANDLES	Page 22
SPLIT SPINDLES	Page 24
PATIO ROLLERS AND LEVERS	Page 26
CENTRE LOCKCASES & MPL	Page 28
WINDOW + T&T GEARBOXES	Page 33
TOOLS	Page 35
CYLINDER LOCKS	Page 38
GLAZING PACKERS	Page 40
OTHER	Page 43



WP Flexi Door Handle



White	Silver	Chrome	Gold	
113510	113511	113512	113513	
<ul style="list-style-type: none"> - Adjustable inline/offset lever/lever door handle. - 59mm to 96mm adjustable PZ centre(s). - 260mm screw hole distance. - 290mm faceplate length. - 30mm faceplate width. - 1 x 8mm spindle supplied. - Easily converted to split spindle/offset. 				

The WP Flexi door handle is an adjustable door handle designed to fit a wide range of locks and doors. It has adjustable PZ centres and is easy to convert to suit the individual needs of each job. This adaptability makes it perfect for tradesmen to keep in stock, as it will fit around 95% of multipoint locks.

WP Lever/Lever Inline



White	Silver	Gold		
116941	116942	116943		
<ul style="list-style-type: none"> - Suits aluminium locks. - Sprung inline lever/lever door handles. - 48mm PZ centre. - 215mm screw hole distance. - 242mm faceplate length. - 32mm faceplate width. - Universally handed. - 1 x 8mm spindle supplied. 				

The WP lever/lever inline door handle is designed to suit aluminium locks. It has a 48mm PZ centre, which suits aluminium multipoint locks. This handle is universally handed and is supplied as a pair. Suitable for exterior doors. lever/lever inline handle (levers are inline and work off the same spindle). Supplied as a pair with 8mm spindle. Sprung handle. Supplied with two colour matching screws.

WP Lever/Lever Inline



White	Silver	Chrome	Gold	
116944	116948	116945	116946	
<ul style="list-style-type: none"> - Suits Fullex locks. - Sprung inline lever/lever handle. - 68mm PZ centre. - 215mm screw hole distance. - 240mm faceplate length. - 32mm faceplate width. - Universally handed. 				

Designed to suit Fullex locks. Take care when measuring, as this is similar to the 70mm PZ centre of Ferco locks. Suitable for uPVC exterior doors. Lever/lever inline handle (levers are inline and work off the same spindle). Supplied as a pair with 8mm spindle. Universal handle - can be used either left or right handed. Supplied with two colour matching screws.

WP Millenco Lever/Lever Inline



White	Gold	Black		
116947	116949	123802		
<ul style="list-style-type: none"> - Suits Millenco locks. - Sprung inline lever/lever handle. - 117mm PZ centre. - 235mm screw hole distance. - 256mm faceplate length. - 28mm faceplate width. - Universally handed. 				

The WP lever/lever inline door handle is designed to suit Millenco locks and is suited for use with exterior doors. Levers are inline and work off the same spindle. They are supplied as a pair with an 8mm spindle. Universal handle – can be used either left or right handed. Supplied with two colour matching screws.

WP Lever/Pad Inline



White	Chrome	Gold		
116953	116954	116955		
<ul style="list-style-type: none"> - Suits Fullex locks. - Sprung Inline lever/pad handle. - 68mm PZ centre. - 215mm Screw hole distance. - 240mm Faceplate length. - 32mm faceplate width. - Universally handed. 				

The WP lever/pad inline door handle is suitable for uPVC exterior doors and is suitable for Fullex multipoint locks. Suitable for uPVC exterior doors. Lever/pad inline handles. Supplied as a pair with 8mm spindle. Universal handle – can be used either left or right handed. Sprung handle. Supplied with two colour matching screws.

WP Millenco Lever/Pad Offset



White	Gold			
116956	116958			
<ul style="list-style-type: none"> - Suits Millenco door handles. - Sprung offset lever/pad door handle. - 117/86mm PZ centres. - 236mm screw hole distance. - 256mm faceplate length. - 28mm faceplate width. - Universally handed. 				

The WP lever/pad offset door handle is designed to suit Millenco locks. This handle is the lever/pad version for our locks with 117mm centres and can be fitted universally. Suitable for uPVC exterior doors. Lever/pad offset handle (lever and pad are offset and operated by two spindles). Supplied as a pair with 8mm spindles. Universal handle – can be used either left or right handed. Sprung handle. Supplied with two colour matching screws.

G-U Lever/Lever Inline



White	Silver	Chrome	Polished Gold	Satin Gold
124689	118400	118401	118402	118403
<ul style="list-style-type: none"> - Designed to suit G-U multipoint locks. - Inline lever/lever door handle. - 92mm PZ centre. - 122mm screw hole distance. - 206mm faceplate length. - 28mm faceplate width. - 8mm spindle supplied. 				

Suitable for uPVC and composite exterior doors, lever/lever inline handle (levers are inline and work off the same spindle).
 Supplied as a pair with 8mm spindle. Supplied with two colour matching screws.
 Unsprung handle except our own replacement white version. The WP White version includes spring cassettes.
 Universal handle with spindle – can be used either left or right handed.

Vitawin Lever/Lever Door Handle



White	Silver	Gold	Chrome	
124689	121981	121979	121978	
<ul style="list-style-type: none"> - Inline lever/lever door handle. - 92mm PZ centre. - 122mm screw hole distance. - 206mm faceplate length. - 28mm faceplate width. - 8mm spindle. - Sprung handle. 				

This handle is sprung and universally handed, allowing it to be fitted to a range of profiles.
 Will also suit a majority of multipoint locks with 92mm PZ centres.

Vitawin Lever/Lever Door Handle



White	Silver	Gold	Chrome	
121483	124115	123722	123341	
<ul style="list-style-type: none"> - Lever/lever inline door handle. - 92mm PZ centre. - 215mm screw hole distance. - 242mm faceplate length. - 32mm faceplate width. - Sprung handle. - 8mm spindle. 				

This handle is sprung and universally handed, designed to suit a majority of multipoint locks with 92mm PZ centres.
 8mm spindle supplied.

WP Flexi Door Centre Latch Keeps



Universal				
125625				
<ul style="list-style-type: none"> - Universally handed door centre latch keeps. These universal keeps replace our previous left and right handed keeps. - These keeps are available singly and are designed to fit any profile. 				

The WP Flexi door keeps are designed to make replacing centre latch keeps as easy as possible.

These keeps are designed to fit the majority of door profiles, meaning that it can be used as a replacement without the need to worry about the sizes or manufacturer of the current door keeps. Can be used with either left or right opening, with latch and deadbolt capabilities.

WP Flexi Hook & Deadbolt Keeps



Pair				
113520				
<ul style="list-style-type: none"> - Hook and deadbolt keeps x 2. - Fits left and right hand. - Only available in pairs. - Length 153mm. Width 30mm. - Designed to fit any profile. 				

These Flexi hook and deadbolt keeps are sold in pairs and are designed to fit any profile. This makes them excellent replacements and also great for use by tradesmen, as they can be used to replace damaged door keeps from many different manufacturers.

WP Flexi Window Keep (Pair)



1 Pack	5 Pack			
117145	117204			
<ul style="list-style-type: none"> - The Flexi keep is designed to suit any profile and provides a venting position. - Sold both as a pair and in packs of 5 pairs. 				

The WP Flexi window keep is designed to suit any profile, making it ideal for tradesmen, or if you are working with a range of profiles.

Also known as window strikers, these window keeps are designed to provide a venting position in the window and accept the cams and rollers of the window's mechanism.

U – Keeps



4-Pack

122599

- Universal keeps to suit roller/mushroom cams on door lock strips.
- Available in a pack of 4 keeps.

Designed to suit rollers on door lock strips, these universal fit 'U' shaped frame keeps are an excellent choice for use as replacement parts for damaged keeps, ensuring that the lock stays secure.

WP Flexi Concealed Window Restrictor



Universal				
125749				
<ul style="list-style-type: none"> - Suitable for uPVC and aluminum window frames - Strong child safety catch lock. - Non key locking for quick release emergency exit. - Stud height 9.5mm complete with packers to make stud height 11.5, 12.5 or 13.5mm. 				

The WP Flexi concealed window restrictor is a unique restrictor that is designed to fit a wide range of different windows. It is fitted to the frame of the window, keeping it concealed until it needs to be unlocked.

This concealed window restrictor is non key locking so that the window can be used as an emergency exit in case of fire etc. In addition, it has a strong child safety catch lock, helping to keep younger children safe near the windows.

This item is universal (non-handed) making it suitable for both left and right hand fitting.

WP Flexi Facefix Sash Guard



White	Brown			
109941	109942			
<ul style="list-style-type: none"> - Flexi Facefix sash guard for uPVC windows and doors. - Each pack contains a sash jammer, packers, screw cap covers and button spacers (excludes fixing screws). - 3mm/5mm packers and supplied with plastic screw hole covers. Non locking only. 				

Each sash guard comes in a pack with one sash jammer/blocker, two sash packers to ensure a secure fit, two screw cap covers and 3 Button Spacers, this gives you all of the parts that you need to ensure a strong and secure fit.

Suitable for all uPVC windows and doors.

Lockable Window Sash Guard



White	Brown			
124277	124520			
<ul style="list-style-type: none"> - Sash jammer x 1. - Sash packers x 2. - Screw cap covers x 2. - Button spacers x 3. - 1 x key. 				

This lockable sash guard provides additional security for uPVC windows and doors as it has additional strength which helps to prevent forced entry. The arm can be locked into place using the provided key.

Penkid Cable Window Restrictor



White	Grey	Black	Brown	Light Brown
120278	120277	124309	120276	122034
<ul style="list-style-type: none"> - Visible cable length of 175mm. - Total length 200mm. - Provides a 10 to 15cm restriction. - 2 key included in pack. - Spare keys available. - Endures up to 550kg of force. - Includes: restrictor, cover plates, screws and fitting instructions. 				

The Penkid cable window restrictor is suitable for all kinds of doors and windows including uPVC, aluminium, wooden and metal profiles. This cable restrictor is key locking, which allows the window to be opened fully when the restrictor is unlocked, while also preventing the window restrictor from being unlocked by accident. To make it easy to install, screws are self-drilling, meaning they can be used directly on the window profile.

Penkid Fixed Cable Restrictor



White				
124270				
<ul style="list-style-type: none"> - Provides a 10-15cm opening in a window. - Tested to 450kg breaking strain. - Total length 200mm. - Self tapping screws included. 				

This Penkid cable restrictor is designed to be left in place permanently. It has no locking/unlocking system like our other Penkids and is a perfect way to secure a window from opening too far. Once fitted to a window frame and sash this child safe restrictor will allow the window to open no more than 10cm-15cm. Actual opening width depends on whereabouts on the frame each end is attached to.

Penkid Push Release Restrictor



White	Dark Brown			
125464	125711			
<ul style="list-style-type: none"> - Total length 200mm. - Provides a 10-15cm opening in a window. - Includes restrictor, cover plate, screws and fitting instructions. 				

The Penkid push release cable restrictor is suitable for all kinds of doors and windows including uPVC, aluminium, wooden and metal profiles. Once fitted the restrictor will allow the window to open no more than 10-15mm. Actual opening width depends on whereabouts on the frame each end is attached. This cable restrictor is locked by inserting the cable pin into the lock body and is unlocked by pushing the button and removing the pin.

Pentilt Tilt & Turn Restrictor



White				
125171				
<ul style="list-style-type: none"> - Designed for inward opening uPVC windows with tilt and turn mechanisms ensuring safe ventilation. - Window tilt function still usable with restrictor in place and locked. 				

High quality safety device for tilt and turn windows.

With a Penkid 'Pentilt' Restrictor installed, the window cannot be 'turned' without the supplied key being used. The tilt function however, is still usable with a restrictor in use.

Penkid Sash Jammer



White	Brown	Light Brown		
125148	125160	125161		
<ul style="list-style-type: none"> - Easy fit. - Tested to 250kg load. - Additional keys available. 				

This locking sash jammer is an easily fitted security device. It provides additional security for uPVC windows and doors as it has additional strength which helps to prevent forced entry. With a tested breaking load of 250kg these sash jammers are a good addition to any window's security.

Using the key provided the arm can also be locked into place.

WP Patio Lock



White	Silver			
121347	121346			
<ul style="list-style-type: none"> - Key locking button push patio lock. - Can be used for general security around your house. - Lock width 45mm. - Lock Height 25mm. - Screw hole distance 32mm. 				

Our WP patio door and window lock can be installed as a new fit or as a replacement for old or worn out locks. This lock is a simple and easy to fit security lock for doors and windows. The button is pushed in to lock and the supplied key is used to unlock.

Fixing screws are included and can be mounted on a surface.

WP Flexi Door Restrictor



Silver				
112973				
<ul style="list-style-type: none"> - Hold open restrictor stay. - 90 degree break stay and restrictor for doors. - Suitable for uPVC with a standard euro-groove. - Universal handing - can be used for left or right handed operation. 				

The Flexi concealed uPVC door restrictor is a flexible door restrictor that is designed to fit a wide range of doors. It is used to restrict the opening on uPVC doors, ensuring that it only opens to a certain distance.

This restrictor also slows the opening of the door, preventing it from slamming shut from a gust of wind or accidental slam. It is an excellent replacement for a broken restrictor and is also useful if you are unsure which size or length you require.

WP Multi Purpose Door Bolt



White	Brown			
121202	121203			
<ul style="list-style-type: none"> - Key locking, simply throw the bolt and then lock it into position. - Supplied with screws and two keys. - 53mm Screw hole distance. 				

The WP multi purpose door bolt is key-locking, making it simple to use and secure. This door bolt is for use on sliding and hinged doors including garage doors.

Penkid Restrictor Key



Barcode				
125163				
<ul style="list-style-type: none"> - Penkid window restrictor key replacement. - For old or new style Penkid restrictor. 				

Key used to lock and unlock the Penkid cable restrictor.

Unlocks the restrictor, allowing the window fitted with the Penkid Restrictor to be opened fully.

The key fits both the older style Penkids that were supplied in blue blister packs and the newer style Penkids, supplied in red blister packs.

Roto Tilt and Turn Restrictor



White	Brown			
119965	113734			
<ul style="list-style-type: none"> - Designed for tilt and turn windows. - The restrictor helps to provide safety and security for your windows. 				

The Roto tilt and turn window restrictor is meant for use on tilt and turn windows. This restrictor ensures child safety by preventing the window opening past a set point while also preventing the window from closing suddenly.

Hardplate TCT Tipped Drill Bits (Packs)



The Hardplate TCT tipped drill packs are designed to penetrate hard steels and drill resisting plates. These TCT drill bits offer unrivalled performance, and can be used to drill a wide range of surfaces. These Hardplate TCT tipped drill bits are sold in packs of five of various lengths.

Sizes

Sizes	
60mm x 3mm H/P TCT Drill Bits-5	114600
75mm x 4mm H/P TCT Drill Bits-5	114601
85mm x 5mm H/P TCT Drill Bits-5	114602
90mm x 6mm H/P TCT Drill Bits-5	114603
100mm x 6.5mm H/P TCT Drill Bits-5	114604
105mm x 7mm H/P TCT Drill Bits-5	114608
115mm x 8mm H/P TCT Drill Bits-5	114609
125mm x 9mm H/P TCT Drill Bits-5	114610
130mm x 10mm H/P TCT Drill Bits-5	114611
150mm x 12mm H/P TCT Drill Bits-5	114612

SDS Drill Bits



SDS drill bits are designed to drill into masonry, brick or concrete.

These drills are available individually in a wide range of sizes, from 160mm to 450mm long.

These drill bits are high quality and have excellent durability.

Sizes

4 x 160mm	109781
5.5 x 150mm	120967
6 x 150mm	120968
6 x 210mm	106550
6 x 260mm	109779
6.5 x 210mm	106551
6.5 x 260mm	106549
7 x 150mm	120969
7 x 210mm	106552
8 x 210mm	106553
10 x 210mm	106554
12 x 210mm	106555
14 x 310mm	109788
16 x 310mm	106558
18 x 310mm	106559
20 x 450mm	109776
22 x 450mm	109785
25 x 450mm	109777

Universal Repair Flipper Gasket



Small Black	Medium Black	Large Black		
125119	125120	125121		
<ul style="list-style-type: none"> - Covers gaps up to 7.3mm and compresses down to 2mm. - 3 sizes available. - Small 2.5mm. - Medium 3.5mm. - Large 4.8mm. 				

Follows the contours of even bowed windows.

Universal replacement for 95% of flipper and bubble gaskets.

Acts as a bubble gasket when the window is closed.

In windy conditions the flipper gasket is designed to close the gaps and therefore eliminate drafts. Sold in 10 metre lengths.

Universal Repair Wedge Gasket



Small Black	Medium Black	Large Black		
125122	125123	125124		
<ul style="list-style-type: none"> - 3 sizes available: - Small 2mm-3mm. - Medium 4mm-5mm. - Large 6mm-7mm. 				

Each size of our universal repair wedge gasket is capable of replacing multiple sizes of traditional wedge gasket.

Sold in 10 metre lengths.

Sharp Point Screws – Countersunk



These countersunk screws have a sharp point, allowing them to be drilled into plastic.

Sizes

4.3 x 19mm	20 Pack	123254
4.3 x 25mm	20 Pack	109959
4.3 x 32mm	20 Pack	109962

Wafer Head – Drill Point



Also known as Baypole Screws.
Used for fastening window frames and window bays.

Sizes

4.8 x 70mm	20 Pack	107833
4.8 x 60mm	20 Pack	108274
4.8 x 80mm	20 Pack	107832

Bugle Head – Drill Point



Mostly used for the assembly of drywall track and ceiling track systems.

Sizes

4.2 x 55mm	500 Pack	21410
4.2 x 65mm	200 Pack	21393
3.5 x 50mm	20 Pack	113036
4.2 x 55mm	20 Pack	107830

Shallow Panheads (Hinge Screws) Drill Point



Drill Point Screws – Shallow Panheads, designed to secure hinges to uPVC products.

Sizes

4.3 x 19mm	20 Pack	107829
4.3 x 25mm	20 Pack	110999

Shallow Panheads (Hinge Screws) Sharp Point



Sharp Point Screws – Shallow Panheads, designed to secure hinges to UPVC products.

Sizes

4.3 x 19mm	20 Pack	107829
4.3 x 25mm	20 Pack	113610

Sharp Point – Countersunk Repair Screws



Sharp Point Screws – Countersunk Repair Screws, for re-fixing into holes that have previously been drilled and used.

Sizes

4.8 x 25mm	20 Pack	121504
4.8 x 38mm	20 Pack	112256

Drill Point – Countersunk



These drill point screws are used to drill into steel or aluminium reinforced windows and doors.

Sizes

3.9 x 16mm	20 Pack	121464
3.9 x 19mm	20 Pack	109960
3.9 x 25mm	20 Pack	116269
3.9 x 32mm	20 Pack	119821
3.9 x 38mm	20 Pack	123257
4.8 x 38mm	20 Pack	112256
4.8 x 50mm	20 Pack	107807

Machine Screws



Suitable for use in most food, medical, chemical, construction and electronic applications.

Sizes

M5 x 20mm	20 Pack	110989
M5 x 25mm	20 Pack	114177
M5 x 30mm	20 Pack	114262
M5 x 35mm	20 Pack	114263
M5 x 40mm	20 Pack	110990

Euro Escutcheons (Screw On)



S.Silver	P.Silver	Brass		
121266	121264	121262		
<ul style="list-style-type: none"> - Available in: Satin silver, polished silver and brass. - Screw on. - Set of 2. 				

An escutcheon with a Euro cylinder shaped hole. This cover is designed to help protect the cylinder against attacks or tampering.

Oval Escutcheons (Screw On)



S.Silver	P.Silver	Brass		
121252	121254	121250		
<ul style="list-style-type: none"> - Available in: Satin silver, polished silver and brass. - Screw on. - Set of 2. 				

An escutcheon with an oval cylinder shaped hole. This cover is designed to help protect the cylinder against attacks or tampering.

Mortice Escutcheons (Screw On)



S.Silver	P.Silver	Brass		
121260	121258	121256		
<ul style="list-style-type: none"> - Available in: Satin silver, polished silver and brass. - Screw on. - Set of 2. 				

An escutcheon with a mortice shaped hole. This cover is designed to help protect the cylinder against attacks or tampering.

Euro Escutcheons (Stick On)



S.Silver	P.Silver	Brass		
119286	116663	116662		
<ul style="list-style-type: none"> - Available in: Satin silver, polished silver and brass. - Stick on. - Set of 2. 				

An escutcheon with a Euro cylinder shaped hole. This cover is designed to help protect the cylinder against attacks or tampering.

Oval Escutcheons (Stick On)



S.Silver	P.Silver	Brass		
119288	118190	122846		
<ul style="list-style-type: none"> - Available in: Satin silver, polished silver and brass. - Stick on. - Set of 2. 				

An escutcheon with an oval cylinder shaped hole. This cover is designed to help protect the cylinder against attacks or tampering.

Mortice Escutcheons (Stick On)



S.Silver	P.Silver	Brass		
118189	114044	120994		
<ul style="list-style-type: none"> - Available in: Satin silver, polished silver and brass. - Stick on. - Set of 2. 				

An escutcheon with a mortice shaped hole. This cover is designed to help protect the cylinder against attacks or tampering.

Self Adhesive Repair Plate 70 x45mm



Stainless	Brass	White		
116667	116668	116673		
<ul style="list-style-type: none"> - Available in: Stainless steel and brass. - Self adhesive. - Set of 2. - 70mm x 30mm. 				

Self-adhesive repair plates, available in brass and stainless steel.
Ideal for covering holes left when the door cylinder has been removed.

DGS Fire Escape/ Easy Clean



12" 13mm	16" 13mm	12" 17mm	16" 17mm	
103961	031970	020980	031973	
<ul style="list-style-type: none"> - Side hung. - Supplied as a pair. - Stack height 13mm or 17mm. - Available in two lengths. - Fire escape hinges, max opening of 90 degrees. - Universal, can be used left and right handed. - 18mm track width. 				

These egress friction hinges are suitable to be used with most windows including uPVC, timber and aluminium windows.

These hinges have a dual egress/easy clean function, allowing the window to open at a 90 degree angle so that it can be used as a fire escape window. The easy clean function allows the window to be opened so that the outside surface of the window can be cleaned from the inside. Friction hinge conversion packers to increase stack height from 13mm to 17mm are on page 37

DGS Fire Escape/Easy Clean/Restricted



12" 13mm	16" 13mm	12" 17mm	16" 17mm	
112880	032035	112881	044171	
<ul style="list-style-type: none"> - Fire Escape hinges - max. opening of 90 degrees. - Easy Clean slider. - Supplied as a pair - one left hand and one right handed. - Supplied with 18mm track width. - Restrictor for child safety and security. 				

These hinges open at a 90 degree angle so they can be used for a fire escape safety window. In addition, they come with an easy clean slider to access the outside of your windows, meaning that they can be moved into an easy clean position when the restrictor is disengaged, allowing the outside surface of the window to be cleaned from the inside. Friction hinge conversion packers to increase stack height from 13mm to 17mm are on page 37


DGS Fire Escape Hinge



12" 13mm	16" 13mm	12" 17mm	16" 17mm	
054336	100252	104509	031974	
<ul style="list-style-type: none"> - Side hung. - Supplied as a pair. - Stack height 13mm or 17mm. - Available in two lengths. - Fire escape hinges, max. opening of 90 degrees. - Universal, can be used left and right handed. - 18mm track width. 				

These egress hinges allow the window to open at a 90 degree angle, meaning that the window can be used as a fire escape by simply opening the window fully and then exiting through it. This makes these egress hinges an excellent choice for your ground floor windows in case of any emergencies. Friction hinge conversion packers to increase stack height from 13mm to 17mm are on page 37

DGS Trade Friction Hinges




Side 12"	Side 16"	Top 8"	Top 10"	Top 20"	Top 24"
031879	101525	037737	031877	031883	031885

- Available in various lengths.
- Universal, can be used left and right handed.
- Supplied as a pair.
- Supplied with 18mm track width.
- Stack height 13mm.

These standard trade friction hinges are suitable to be used with most windows including uPVC, timber and aluminium. These friction hinges combine excellent durability with smooth opening and closing action.

These hinges do not have to be the same manufacturer as your old ones, as long as the length, stack height and track width is the same, then these hinges will fit. Friction hinge conversion packers to increase stack height from 13mm to 17mm are on page 37

DGS Trade Restricted Hinges



Side 12"	Side 16"	Top 20"	Top 24"	
109309	109310	109311	109312	

- Available in various lengths.
- Universal, can be used left and right handed.
- Supplied in pairs, one side restricted and one side standard.
- Supplied with 18mm track width.
- Stack height 13mm.

These restricted/standard trade friction hinges are suitable to be used with most windows including uPVC, timber and aluminium, with the restrictor giving added security and safety. These hinges are supplied as a pair, one standard and one restricted.

They work universally and can be easily fitted to replace your old or broken hinges. Friction hinge conversion packers to increase stack height from 13mm to 17mm are on page 37

White 115mm Door Hinge



Angled	Flat			
045154	045153			

- With security grub-screw.
- Available in both angled and flat formats.

These hinges are available in both angled and flat formats and have security grub screws.

WP Flexi Inline Espag Handle Pack



White	Silver	Chrome	Gold	
119805	119808	119807	119806	
<ul style="list-style-type: none"> - Colour matching screw cover and one key supplied. - Includes four spindles, 10mm, 20mm, 30mm and 40mm. - Distance between screw centres 43mm. - Universally handed – turns left and right. 				

The WP inline Espag window handle pack contains four spindles, a key and a colour matched screw cover. This makes it ideal for use as a replacement handle, as it can easily replace all inline Espag handles.

The kit does not come with screws.

WP Timber Casement Handles



White	Polished Brass	Chrome	Satin Chrome	Brown
121197	121194	121195	121196	121229
<ul style="list-style-type: none"> - Suitable for internal use only. - Locking handle. - Night vent position. - Supplied with keep, key and screws. - Universally handed – can be used left and right hand. 				

This timber casement window handle is designed for use on timber windows. This handle is a locking handle and is universally handed. In addition, this handle has a position to allow for a night vent to be fitted to give the room extra ventilation.

WP Cranked Espag Handles



Left Hand	Right Hand			
125490	125491			
<ul style="list-style-type: none"> - Suitable for internal use only. - Locking handle. - Supplied with key, lock blank and screws. - Available as a left or right handed version. 				

This cranked espag window handle is designed for use on interior espag windows. This handle is a locking handle and is available in a left and right handed version.

WP Cockspur Window Handle



White L/H	White R/H	Silver L/H	Silver R/H	
021127	020935	020896	020893	
<ul style="list-style-type: none"> - Replacement cockspur window handles. - 9mm stack height with packers included to raise to 13mm, 17mm and 21mm. - Includes lock blanking covers. - Available in white and silver and left/right handed versions. 				

This lockable casement handle is designed for top and side hung windows, and gives them excellent durability as well as smooth action for ease of use. Supplied complete with key and coverplates.

Right handed version shown in picture.

Bison Tilt & Turn Window Handle



White	Silver	Black		
119662	119663	125482		
<ul style="list-style-type: none"> - Replacement tilt and turn window handles. - Suitable for internal use. - Includes both fork and spade fitments to suit Siegenia or Roto systems. - Universally handed. 				

The WP Tilt and Turn Forked/Spaded Aluminium Window Handle is a locking tilt and turn handle that can be supplied to suit Siegenia or Roto systems.

This handle is universal, it can be fitted right or left handed for extra flexibility. This handle is supplied with a key for securely locking the handle shut.

WP Timber Casement Stay



White	Brown	Brass	Chrome	Silver
121201	121230	121198	121199	121200
<ul style="list-style-type: none"> - Timber Casement Stays, for timber windows. - Available in a range of colours, including white, silver, brown, chrome and gold. - Measures 10" in length. 				

Casement Stay for timber windows. Fits most types of timber window. 10" Long.

FUHR Split Spindle



FUHR

107368

- Split spindle to suit FUHR locks and handles.
- 60mm each side.
- Springs included with spindle.

The FUHR split spindle to suit FUHR locks and handles.

A split spindle is designed to automatically latch the door when it is shut, requiring the key to open it again.

WP G-U Split Spindle



G-U

100811

- Split Spindle to suit G-U locks and handles.
- 74mm each side.
- Can be cut down to suit.

The WP split spindle is designed to suit a range of different locks and handles including G-U. These spindles can be cut down to suit.

Fullex Split Spindle



Fullex

121576

- Small side 55mm – external spindle.
- Long side 70mm – internal spindle.
- The Fullex split spindle is designed for use with lever/pad and lever/lever handles.
- Springs are provided to be situated in the handle at the end of the spindle.

The Fullex split spindle is a spindle that can be added to door locks so that they automatically lock when they close.

In order for this spindle to be used, the door lock must be capable of supporting split spindle operation.


ERA Split Spindle



ERA				
109165				
<ul style="list-style-type: none"> - One side with spring. - 54mm/72mm split. 				

The ERA split spindle can be used to replace the spindle in an ERA lock. The ERA split spindle allows the handle on each side of the door to operate independently, and also ensures that the door will lock itself when it closes. This split spindle has one side with a spring.

Winkhaus Split Spindle Set



Winkhaus				
114374				
<ul style="list-style-type: none"> - Complete with springs. - 60mm/60mm split. 				

The Winkhaus split spindle set can be used to replace spindles in a uPVC door handle with a split spindle. Split spindles are used to make the handles independent of each other. The Winkhaus split spindle prevents the handle from being unlocked without the proper key. This also means that the door will automatically lock when it is closed, helping to secure your home.

Flex-Spindle Conversion Kit



Flexi				
112351				
<ul style="list-style-type: none"> - 7mm spindle. - Two 1mm Spindle Sleeves to convert it into an 8mm spindle. 				

This Flexi-spindle is designed to fit G-U, Ferco and Tripac. This product is an excellent choice for tradesmen who deal with a wide range of handles, as it can easily be adapted to replace the old door handle spindle.

Slimline In Line Patio Rollers



1 Pair

125495

- Wheel diameter 18mm.
- Body width 12mm.
- Body length 157mm.
- Supplied in pairs.

Tandem patio door rollers with double wheels and a steel finish. These slimline rollers are designed to fit into the eurogroove of most modern uPVC and aluminium patio doors. They also have dual wheels to spread the weight of the doors more evenly.

CA 863 Zinc Car Steel Patio Roller



1 Pair

120222

- Wheel diameter 38mm.
- Wheel height adjustment 40mm - 49mm.
- Body width 18.5mm.
- Body height 30.5mm.
- Supplied in pairs.

The CA863 Zinc Car Patio Roller is a popular patio door roller used on many different types of patio doors including timber, aluminium and uPVC.

SRZ-S Zinc Car Steel Wheel Roller



1 Pair

21469

- Supplied as a pair.
- Wheel diameter 32mm.
- Body width 17.5mm.
- Body height 29mm.

The SRZ-S zinc car steel wheel roller is a single wheel patio door roller. It is suitable for use with all types of aluminium patio doors.

TRPH-N Stl Car Grp Patio Roller



1 Pair				
21471				
<ul style="list-style-type: none"> - The patio roller are supplied in pairs. - Wheel diameter 32mm. - Wheel height adjustment 39mm – 49mm. - Body width 19mm. - Body height 28mm. 				

The TRPH-N Stl car Grp patio roller is a high stack roller with black colour wheels. It is suitable for uPVC and aluminium inline sliding patio doors, and can be used to replace existing patio door rollers, provided that they were also high stack rollers. Suitable for Monarch patio doors.

Fullex Metal Patio Door Levers



1 Pair				
54383				
<ul style="list-style-type: none"> - Suitable for 5mm spindles only. - Door lever width 17mm. - Door lever length 86mm. - Supplied as a pair with an allen key and spindle. 				

The Fullex metal black patio door Levers are designed to fit 5mm spindles, and can be used to replace or in place of Fullex patio door handles. These patio door levers are supplied as a pair, with an allen key included as well to ensure that these levers are simple to fit.

Schlegel Plastic Patio Door Levers



1 Pair				
102539				
<ul style="list-style-type: none"> - Suitable for 7mm spindles only. - Door lever length 84mm. - Supplied as a pair with spindle. 				

These Schlegel plastic black patio door Levers are designed to fit the spindles from Schlegel patio door handles and make excellent replacements for them, or are good in their own right. They provide a simple way to attach handles to a patio door, ensuring that you can have your sliding patio doors back in action as soon as possible.

G-U – Remanufactured Old Style



28mm	35mm			
124925	124924			
<ul style="list-style-type: none"> - 28mm/35mm backsets. - Lever/Lever operation. - 92mm PZ centre. - Height: 208mm. - Depth: 54mm. 				

This copy of the old G-U centre lockcase is used in older G-U locks, to replace the old style gearbox.

G-U – New Version L/L



28mm	35mm	40mm		
107946	121433	107948		
<ul style="list-style-type: none"> - 28/30/35/40mm backsets. - Lever/Lever operation. - 92mm PZ centre. 				

L/L operation version.

This G-U centre lockcase can be used to replace a damaged centre lockcase in a newer style G-U door lock.

It makes an excellent replacement for a damaged centre lockcase, and is cheaper than buying the whole multipoint lock.

G-U – New Version S/S



35mm	45mm			
107947	107949			
<ul style="list-style-type: none"> - 35/45mm backsets. - S/S operation. - 92mm PZ centre. 				

Split spindle operation version.

This G-U centre lockcase can be used to replace a damaged centre lockcase in a newer style G-U door lock.

It makes an excellent replacement for a damaged centre lockcase, and is cheaper than buying the whole multipoint lock.

Paddock Lockmaster Lever/Lever



35mm				
124921				
<ul style="list-style-type: none"> - Paddock style lockcase to suit original models. - Available with a 35mm backset. - 92mm PZ centre. 				

The Paddock lockmaster centre lockcase is available with a 35mm backset. This centre lockcase can be used to replace the existing lockcase in the event of damage. This is an excellent choice when fixing a damaged lock, as it is much cheaper than replacing the whole mechanism.

Paddock Lockmaster T.Spindle



35mm	45mm			
124926	124922			
<ul style="list-style-type: none"> - Paddock style lockcase to suit original models. - Twin spindle. - Available in 35mm or 45mm backset. - 92/62mm PZ centre. 				

This centre lockcase can be used to replace the existing lockcase in the event of damage, which is much cheaper than replacing the whole lock.

Asgard Centre Lockcase



35mm	45mm			
115612	115611			
<ul style="list-style-type: none"> - Asgard style lockcase to suit original models. - 35mm or 45mm backset. - Twin Spindle operation. - 92/70mm PZ centres. - Height 212mm - Depth 50mm. - Fits Yale Asgard. 				

This replacement centre lockcase is used in composite and uPVC multipoint locks to replace an old or broken gearbox. It is simple to install or use as a replacement for a damaged lockcase, allowing you to get your door lock back in working order without having to pay for the full mechanism. Commonly used in a single spindle configuration.


Basta Gibbons ABT



W/O Snib	With Snib			
107936	116565			
<ul style="list-style-type: none"> - 31.6mm backset. - T/S + L/L operation. - 48/86mm PZ centres. - 22mm faceplate width. - Supplied with faceplate. - Height: 146mm. - Depth: 50mm. - Faceplate: 22mm. 				

This Basta lockcase is designed to replace the existing ABT centre lockcase if it is damaged, meaning you do not have to buy a whole new lock. The twin spindle allows the lockcase to be used together with lever/lever or lever/pad handles. This lockcase uses a reversible latch, remove the grub screw and remove latch, turn round and reinsert, resecure with the grub screw. Available with or without a snib.


Roto New Style



35mm				
120603				
<ul style="list-style-type: none"> - 35mm backset. - T/S + L/L operation. - 62/92mm PZ centres. 				

This Roto style lockcase is designed to replace the existing Roto centre lockcase if it is damaged, meaning you do not have to buy a whole new lock. The twin spindle allows the lockcase to be used together with lever/lever or lever/pad handles.

Fullex Old Style Type A



37/40mm				
107940				
<ul style="list-style-type: none"> - Fullex old style lockcase to suit original models. - 37/40mm backset. - S/S operation. - 68mm PZ centre. 				

This lockcase is available in a 37/40mm backset. Ideal for replacing a damaged centre lockcase in a Fullex old style multipoint lock.

Replicated Roto Mid Section



340mm	400mm			
125741	125742			
<ul style="list-style-type: none"> - Roto style mid-section to suit original models. - 92mm PZ centre. - 35mm Backset. - Lever / Lever operation. 				

The replacement Roto style mid-section is available in 340mm and 400mm lengths.
The mid-section can be used to replace the existing one in the event of failure or damage.

WP Overnight Lock Case



16mm FP	20mm FP			
125730	125698			
<ul style="list-style-type: none"> - 35mm Backset. - 92mm PZ Centre. - 16mm or 20mm Wide faceplate. - 330mm Long faceplate. 				

This replacement 'Overnight Lock' covers the majority of 35mm backset uPVC/composite doors where temporary security is required.
35mm/92mm with a 16x330mm Faceplate or 35mm/92mm with a 20x330mm Faceplate.

Generic Multipoint Lock-strip



35mm Handle Operated	35mm Key Operated	28mm Handle Operated		
125253	121476	125254		
<ul style="list-style-type: none"> - 4 roller multipoint lock-strip. - Available in 28mm and 35mm backsets. - 35mm version is available handle operated and key operated. - 92mm PZ centre. - Single spindle. - Lever / Lever operation. 				

The generic multipoint lock is ideal to use on uPVC doors as a replacement for a faulty or damaged lock-strip on a back door.
Roller keeps available, see page 5 (122599).

Replicated Yale Centre Lockcase



35mm				
107957				
<ul style="list-style-type: none"> - Yale style lockcase to suit original models. - 35mm backset. - 92/62mm PZ centre. 				

This centre lockcase can be used to replace a damaged lockcase in a Yale lock, ensuring security and usability. This is also much cheaper than replacing the entire lock, as the centre lockcase is often the part that becomes damaged. This Yale style centre lockcase makes an excellent replacement for your damaged lockcase.


Schlegel BHD Patio Lockcase



15.5mm				
123687				
<ul style="list-style-type: none"> - Suitable for timber and aluminium sliding doors. - 15.5mm backset. - 43mm PZ centre. 				

This Schlegel BHD patio door lock body is supplied as a body only which will fit existing Schlegel BHD patio doors, suitable for timber and aluminium sliding doors. This lock body has a 15.5mm backset, to use this Schlegel lock body with a different size backset please keep and use the faceplate from the old lock. Body only, no faceplate supplied.

WP Universal Flexi MPL



35mm	45mm			
125897	125898			
<ul style="list-style-type: none"> - Suitable for uPVC doors. - No cutting required. - 35mm or 45mm backset. - 92mm PZ centre. 				

This multipoint lock has been engineered by Windowparts to fit 90% of uPVC doors. 35mm or 45mm backset and 92mm PZ centre. Excellent opportunities with distribution and trade deals.



WP Sabrelock Window Gearbox



Barcode				
125524				
<ul style="list-style-type: none">- Sabrelock replica window gearbox.- 15mm backset.- 43mm between screw holes.- With hooks.				

The replicated WP Sabrelock window gearbox is a direct replacement for a broken or worn window gearbox.

Trojan Stallion Window Gearbox



Barcode				
124447				
<ul style="list-style-type: none">- Trojan Stallion replica gearbox.- Includes WP cover plate.- 22mm backset.- 16mm faceplate width.- 80mm faceplate length.- 43mm between handle screw holes				

Replicated Trojan Stallion gearboxes from WindowParts. This WindowParts replicated part is a direct replacement for a broken or worn gearbox made by Trojan.

Securistyle Vector Gearbox



Barcode				
124954				
<ul style="list-style-type: none">- Vector window gearbox.- Securistyle replicated gearbox.- 23mm backset.				

Windowparts has remade the popular but discontinued Vector gearbox. Constructed with high quality parts. Direct replacement for the obsolete Securistyle Vector window gearbox.

Universal Tilt & Turn Gearbox



Barcode				
125450				

- 43mm between handle screw holes.
- Comes with 3 drive cogs.
- Suits Roto, Siegenia and Maco.

This universal tilt and turn gearbox is a direct replacement for Roto, Siegenia and Maco tilt and turn mechanisms on the market. Ideal for use as a replacement/repair drive gearbox on tilt and turn windows and patio doors.

WP Flexi Meter



Barcode				
103720				

- Fits round uPVC doors. No need to remove the glass.
- Supplied with protective storage bag.
- Strong metal construction.
- Flexi meter width 195.5mm.
- Flexi meter length 240mm.

Also known as a glass measuring gauge, this product allows you to easily work out the size and thickness of sealed glazing units for easier fitting, without having to remove the glass that is currently in the window.

This Flexi Meter is supplied with a protective storage bag to ensure that it can be carried to jobs easily.

High quality metal gauge for measuring double glazed sealed units.

WP Foam Applicator Gun



Barcode				
125578				

- Designed for use with gun grade expanding foam.

This foam applicator gun is ideal for using with expanding foam for insulating and filling small spaces around your windows and doors and as a gap and joint filler with adjustment, allowing the foam to be applied precisely and efficiently, preventing waste.

WP Fixed Blade Gasket Shears



Barcode				
125569				

- Ideal for cutting gaskets and plastic.
- Multi angled base.

The fixed blade gasket shears are ideal for cutting gaskets and plastic. They cut at angles up to 90 degrees and have clear markings for guidance when cutting angles. With a safety locking system.

WP Universal Multi-Key Tool



Barcode				
122625				

- Can be used to test multipoint locks to make sure they work.
- 6mm - 9mm spindle size.
- Open door locks with a missing cylinder, euro/oval.
- Can measure sizes for replacement cylinders.

Perfect for Locksmiths to keep in the van. Great for use when a door lock has no cylinder or spindle.
Used for opening multipoint locks when the cylinder has been removed, as well as measuring the size of a cylinder for replacement.

WP 32mm Chisel Knife



Barcode				
125571				

- Ideal for removing glazing beads.
- This sharp item is to be used responsibly at all times.

The 32mm chisel knife is an ideal tool to make light work of removing glazing beads and for a multitude of glazing tasks when installing or repairing uPVC windows and doors.

WP Economy Moon Knife



Barcode				
125570				

- Used to remove sprue on uPVC window frames.
- General multi-purpose knife.
- Cannot be used to remove glazing beads.
- This sharp item is to be used responsibly at all times.

The WP moon knife is an ideal tool to use for the removal of sprue on uPVC windows or as a deep blade uPVC knife.

Glazing Shovel



Barcode

117154

- Helps centre glass and sealed units into the correct position.
- Useful for pushing wedge gaskets into window and door frames.
- Made of plastic.

Helps centre glass and double glazed sealed units into the correct position of window and door frames. Useful for pushing wedge gaskets into windows and door frames. Made of plastic.

Cylinder Snapper



Barcode

125780

- Designed to snap euro and oval door cylinders.
- Locksmith only item.

This euro/oval lock breaker is a locksmith trade item only, checks will be made prior to this lock snapper being dispatched, as such this item may not be available for next day delivery. Bright red colour.

Inflatable Air Wedge



Barcode

125877

- Designed to lift up to 150kg.
- Makes it easier to install doors and windows.
- Strong but soft, no marks on frames.

Effective for joints from 2mm to 50mm, these inflatable wedges are a far better solution than traditional wedges for holding frames when installing. Extremely strong but soft too, no marks or damage on your frames etc.

Key/Key Euro Cylinders



Please call or email for current size / finish availability

- Key/key euro cylinders.
- Multiple sizes in a variety of finishes.

Perfect for Locksmiths to keep in the van. Euro cylinders with key/key operation, multiples sizes and finishes available.

Thumb Turn Euro Cylinders



Please call or email for current size / finish availability

- Thumb turn euro cylinders
- Multiple sizes in a variety of finishes.

Perfect for Locksmiths to keep in the van. Euro cylinders with thumb turn operation, available in many sizes and finishes.

Oval Cylinders



Please call or email for current size / finish availability

- Oval cylinders.
- Multiple sizes in a variety of finishes.
- Available with thumbturn or as key/key.

Perfect for Locksmiths to keep in the van. Oval cylinders available in lots of sizes and finishes.

Rim Cylinders



Brass	Chrome			
119660	119661			
<ul style="list-style-type: none"> - Rim cylinders supplied in brass or chrome finishes. - 6 pin construction. - 3 keys per cylinder. - Fixing screws supplied . 				

Often used in conjunction with a nightlatch these 6 pin rim cylinders are supplied in a brass or chrome finish.

HMO Door Kit



2.5" L/H	2.5" R/H	3" L/H	3" R/H	
125355	125356	124881	124882	
<ul style="list-style-type: none"> - Kit contains: - Union brand door handles. - Chrome thumbturn 6 pin euro cylinder. - Sashlock. - Fire hinges. 				

Kit contains all door furnishings a landlord needs to comply with HMO regulations. Heavyweight Union door handles, 6 pin thumbturn euro cylinder, euro profile sashlock & fire door hinges. Union door handles are sprung handles tested to 200000 cycles. Chromed 6 pin security cylinder – thumbturn inside – 35/35. High quality sashlock. Choose from 2.5" backset or 3" backset. Fire rated self closing door hinges – 102mm x 75mm x 3mm. Considerable savings compared to these items being bought separately.

Mixed Glazing Packers (1000 Pack)



24mm	28mm	30mm	32mm	
105852	113812	121533	122514	
<ul style="list-style-type: none"> - Designed for aligning and leveling double glazed units. - 24, 28, 30 or 32mm Wide. - Bag of mixed thicknesses between 1-6mm. 				

These glazing packers are designed for aligning and leveling double glazed units, this product contains 1000x mixed thickness glazing packers. These glazing packers are designed to assist in the fitting of glass panels to frames. They come in a range of thicknesses from 1mm to 6mm, each of which is colour-coded to make them easy to identify.

1mm Glazing Packers (1000 Pack)



24mm	28mm	30mm	32mm	
100678	63973	100684	64014	
<ul style="list-style-type: none"> - Designed for aligning and leveling double glazed units. - 24, 28, 30 or 32mm Wide. - Bag of 1000x 1mm packers. 				

These glazing packers are designed for aligning and leveling double glazed units, these products contain 1000x 1mm glazing packers. These glazing packers are designed to assist in the fitting of glass panels to frames. Available in widths of 24, 28, 30 and 32mm.

2mm Glazing Packers (1000 Pack)



24mm	28mm	30mm	32mm	
100679	63974	100685	100688	
<ul style="list-style-type: none"> - Designed for aligning and leveling double glazed units. - 24, 28, 30 or 32mm Wide. - Bag of 1000x 2mm packers. 				

These glazing packers are designed for aligning and leveling double glazed units, these products contain 1000x 2mm glazing packers. These glazing packers are designed to assist in the fitting of glass panels to frames. Available in widths of 24, 28, 30 and 32mm.

3mm Glazing Packers (1000 Pack)



24mm	28mm	30mm	32mm	
100680	63975	63979	63981	
<ul style="list-style-type: none"> - Designed for aligning and leveling double glazed units. - 24, 28, 30 or 32mm Wide. - Bag of 1000x 3mm packers. 				

These glazing packers are designed for aligning and leveling double glazed units, these products contain 1000x 3mm glazing packers.
These glazing packers are designed to assist in the fitting of glass panels to frames.
Available in widths of 24, 28, 30 and 32mm.

4mm Glazing Packers (1000 Pack)



24mm	28mm	30mm	32mm	
100681	63976	100686	100689	
<ul style="list-style-type: none"> - Designed for aligning and leveling double glazed units. - 24, 28, 30 or 32mm Wide. - Bag of 1000x 4mm packers. 				

These glazing packers are designed for aligning and leveling double glazed units, these products contain 1000x 4mm glazing packers.
These glazing packers are designed to assist in the fitting of glass panels to frames.
Available in widths of 24, 28, 30 and 32mm.

5mm Glazing Packers (1000 Pack)



24mm	28mm	30mm	32mm	
100682	63977	100687	63982	
<ul style="list-style-type: none"> - Designed for aligning and leveling double glazed units. - 24, 28, 30 or 32mm Wide. - Bag of 1000x 5mm packers. 				

These glazing packers are designed for aligning and leveling double glazed units, these products contain 1000x 5mm glazing packers.
These glazing packers are designed to assist in the fitting of glass panels to frames.
Available in widths of 24, 28, 30 and 32mm.


6mm Glazing Packers (1000 Pack)



24mm	28mm	30mm	32mm	
100683	63978	63980	63983	
<ul style="list-style-type: none"> - Designed for aligning and leveling double glazed units. - 24, 28, 30 or 32mm Wide. - Bag of 1000x 6mm packers. 				

These glazing packers are designed for aligning and leveling double glazed units, these products contain 1000x 6mm glazing packers. These glazing packers are designed to assist in the fitting of glass panels to frames. Available in widths of 24, 28, 30 and 32mm.

Replacement Handle Spring Cassettes



1 Pack	50 Pack	100 Pack		
125138	125197	125198		
<ul style="list-style-type: none"> - Supplied as a pair. - Designed to replace worn or broken return springs in a sprung door handle. 				

The replacement spring cassette is designed to replace worn or broken return springs in a door handle. If your door handle fails to return to the resting position then it's very likely the spring cassette has broken or has started to wear out. Easily changed over and saves the expense of a new handle.


Millenco 117/86 Cam



Barcode				
122720				
<ul style="list-style-type: none"> - Designed to replace damaged cams in a Millenco 117/86 multipoint lock. - Suits the Millenco 117/86mm and 117mm locks. 				

Millenco cam designed to replace damaged cams in a Millenco 117/86mm multipoint lock, making it excellent for repairs as the cam is the part that is most likely to break in the lock. A great value replacement part that will save you money over buying the entire multipoint lock.


Friction Hinge Conversion Packers



20 Pack	100 Pack			
114324	106012			
<ul style="list-style-type: none"> - Converts 13mm standard hinges into 17mm stack height. 				

These packers are used to raise the stack height on friction hinges. Simply click onto the arm of the friction hinge that fastens to the opening window sash.

Cabinet Hinge Repair Bracket With Hole



White	Cream	Grey	Brown	
122046	125583	125565	125566	
<ul style="list-style-type: none"> - Sold in pairs. - Bracket only, no hinge included. - Powder coated metal construction. - With centre hole. - Multiple colours available. 				

Powder coated repair brackets for cupboards and cabinets when hinges become loose from the door.

The plate is fixed to the current hinge mount, ensuring the hinge is firmly fixed to the door. Choose from two options, large centre hole to accommodate a recessed cup hinge or solid with screw holes. This is the version with a cup hole, generally used on the door section of the hinge.

Cabinet Hinge Repair Bracket Without Hole



White	Cream	Grey	Brown	
122872	125584	125567	125568	
<ul style="list-style-type: none"> - Sold in pairs. - Bracket only, no hinge included. - Powder coated metal construction. - Without centre hole. - Multiple colours available. 				

Powder coated repair brackets for cupboards and cabinets when hinges become loose from the door.

The plate is fixed to the current hinge mount on the cabinet carcass, ensuring the hinge is firmly fixed to the door. Choose from two options, large centre hole to accommodate a recessed cup hinge or solid with screw holes. This is the solid version without a hole.

Windowparts



2023 Product Catalogue

WP Luton Branch:

T: 01582 486566

E: sales@windowparts.co.uk

A: Unit 7, Imperial Court, Luton, LU4 8FE

WP Staples Corner Branch:

T: 0208 6160112

A: Unit A, Apsley Centre, Apsley Way,
Staples Corner, London, NW2 7LZ

The content of this brochure is copyright of Windowparts Ltd. All rights are reserved. This brochure may not be copied, sold, lent or reproduced in any way without obtaining permission from Windowparts Ltd. Information contained in this brochure is correct at the time of publication (errors and omissions excepted), however Windowparts Ltd cannot be responsible for any errors and reserves the right to make any changes in designs, specifications or products at any time without prior notice.

All rights reserved © 2023 Windowparts Ltd

windowparts.co.uk